

Light is protecting
Chemical-free, efficient pest control

OSRAM BLUE UVA / Color 78

Light is OSRAM

OSRAM

Keep insects away – chemical-free, efficient pest control



Restaurants and kitchen

Insects attracted by food odours to kitchens, bakeries and restaurants are a health hazard and a nuisance to employees and guests. Electronic fly killers are on the frontlines, making sure airborne insects don't threaten food. By helping keep insects away, they contribute to food and beverage hygiene in restaurants and at locations throughout the food and beverage industry. OSRAM insect trapping lights protect people, food and utensils against contamination with insect-transmitted microorganisms.



Hospitals

Healthcare institutions are in permanent combat against infectious diseases, and insects aggravate the problem. UVA insect trapping lamps keep flying pests away from surfaces and objects that must remain clean and free from microorganisms while helping maintain the integrity of HVAC systems.



Environment-friendly




Long lifetime



Perfect ballast and lamp fit

Benefits of UV pest control

- Eco-friendly, chemical free
- High quality with long service life
- Ideal for insect traps and other UVA applications
- Emits effective long wave UVA light
- Different form factors enables freedom of design
- RoHS compliant
- Lead-free
- Low Hg content



DULUX® S BLUE UVA



DULUX® L BLUE UVA



LINEAR BLUE UVA

OSRAM BLUE UVA lamps

Product reference Product number

OSRAM DULUX® S BLUE UVA

DULUX® S BL UVA 7W/78 G23	4008321198907	7	0.17	1.4	114	97	28	12	G23	9000 ¹⁾	50	1
DULUX® S BL UVA 9W/78 G23	4008321198938	9	0.17	1.7	144	127	28	12	G23	9000 ¹⁾	50	1
DULUX® S BL UVA 11W/78 G23	4052899037885	11	0.16	2.1	211	194	28	12	G23	9000 ¹⁾	10	1

OSRAM DULUX® L BLUE UVA

DULUX® L BL UVA 18W/78 2G11	4008321198990	18	0.32	3.9	225	195	40	18	2G11	9000 ¹⁾	10	2
DULUX® L BL UVA 24W/78 2G11	4052899037984	24	0.34	5.3	315	285	40	18	2G11	9000 ¹⁾	10	2
DULUX® L BL UVA 36W/78 2G11	4008321875303	36	0.43	7.9	411	381	40	18	2G11	9000 ¹⁾	10	2
DULUX® L BL UVA 55W/78 2G11	4008321894618	55	0.55	12.0	530	500	40	18	2G11	9000 ¹⁾	10	2

OSRAM LINEAR BLUE UVA

L BL UVA 8W/78 G5	4052899077355	8	0.15	1.6	288	N.A.	N.A.	16	G5	9000 ¹⁾	25	3
L BL UVA 15W/78 G5	4052899077386	15	0.41	3.1	288	N.A.	N.A.	16	G5	9000 ¹⁾	25	3
L BL UVA 15W/78 G13	4008321880482	15	0.31	4.0	438	N.A.	N.A.	26	G13	9000 ¹⁾	25	3
L BL UVA 18W/78 G13	4008321880468	18	0.37	4.7	590	N.A.	N.A.	26	G13	8000 ¹⁾	25	3
L BL UVA 25W/78 G13	4052899263475	25	0.60	6.5	437	N.A.	N.A.	26	G13	8000 ¹⁾	25	3

1) Average lifetime

OSRAM Blue UVA / Color 78 fluorescent lamps are suitable for a wide range of applications

- Insect traps
- Cosmetic nail curing
- Manufacture of printed circuit boards
- Tempering and curing of photosensitive material
- Fluorescent exciter for scientific and criminological investigations
- Manufacture of dental prosthetics
- Testing of banknotes and credit cards
- Terrarium illumination

OSRAM GmbH

Head office:

Marcel-Breuer-Str. 6
80807 Munich, Germany
Phone +49 89 6213-0
Fax +49 89 6213-2020
www.osram.com

Professional and Industrial
Applications :

Nonnendammallee 44
13625 Berlin
E-mail: webmaster@osram.com

Partner:



OSRAM