

# HNS 8W G5 G5

# PURITEC HNS UV-C | Ultraviolet lamps



#### Areas of application

- Efficient disinfecting of air, water and surfaces

## Product family benefits

- Effective and environment-friendly disinfection without chemicals
- Low mercury content
- Long lifetime due to specific coating
- Ozone-free

#### Product family features

- Dominant wavelength: 254 nm (OFR version)







# Product datasheet

#### Technical data

## **Product information**

Order reference	HNS 8W G5 G5
-----------------	--------------

#### **Electrical data**

Nominal voltage	56.0 V
Lamp voltage	56 V
Construction voltage	56.00 V
Nominal current	0.15 A
Lamp current	0.15 A
Nominal wattage	7.00 W

## Photometrical data

Luminous intensity	7800 cd
Radiated power 200280 nm (UVC)	2.0 W

## **Dimensions & weight**



Diameter	16.0 mm
Length	288.0 mm

## Lifespan

## Additional product data

Base (standard designation)	G5

# **Capabilities**

# Product datasheet

Burning position	Any

# **Country specific categorizations**

Order reference	HNS 8W G5 G5
-----------------	--------------

## Country specific information

Product code	METEL-Code	SEG-No.	STK number	UK Org
4008321378385	-	-	4933180	-
4008321378385	-	-	4933180	-

## Product datasheet

#### Safety advice

PURITEC germicidal lamps emit high-intensity UV radiation that can cause sunburn and conjunctivitis. The skin and eyes must therefore not be exposed to direct or reflected unfiltered radiation.

## Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321378385	HNS 8W G5 G5	Sleeves 1	304 mm x 19 mm x 19 mm	0.11 dm <sup>3</sup>	26.20 g
4008321378392	HNS 8W G5 G5	Shipping carton box 25	316 mm x 116 mm x 109 mm	4.00 dm <sup>3</sup>	926.00 g
4008321842701	HNS 8W G5 G5	Shipping carton box 375	- x - x -		

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.